


EnLiten™ Flush-Glazed Designs

for Fiber-Classic® Oak Collection™ & Smooth-Star® Doors & Sidelites

THERMA TRU®
DOORS



Simplified beauty. Resilient designs.



Designs for any style.

At Therma-Tru, we believe your door should always welcome you home – while playing seamlessly into your style. Our EnLiten[™] flush-glazed designs create striking profiles that effortlessly combine indoor and outdoor living spaces, inviting in more natural light than ever. The possibilities are endless, giving you doors that perfectly fit your lifestyle.



Craftsman-Style Front Entry



Modern-Style Front Entry



Modern Craftsman-Style Side Entry



Traditional-Style Patio Doors



Colonial-Style Utility Door



Create a clean look.


During manufacturing, double- or triple-pane glass is built directly into the door. This design eliminates the need for a lite frame and screw plugs, achieving a seamless, consistent finish.

Maximum views.

Create an airy, open feeling in the home with larger daylight openings. EnLiten™ flush-glazed designs offer up to a 16% increase in visible glass area as compared to conventional lite frames.



Flush-Glazed Glass



Lip-Lite Frame

See the difference.

EnLiten™ flush-glazed designs provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass



Lip-Lite Frame

Strength is built-in.

Our doors are durable by design. Flush-glazed glass represents a trouble-free solution that provides a superior barrier against the elements, resulting in performance you can depend on.



Durable by design.

Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This reduces the potential for air and water infiltration, among other benefits.



Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



11% More Energy-Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.*



Withstands Winds Up to 167mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).** (ASTM-E330)

*Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Impact-rated products not available.


Left: Smooth-Star, Geometric Glass, Door – S2000XG, Sidelite – S2000XGSL

Middle: Smooth-Star, Clear Glass with GBGs, Door – S82104

Right: Smooth-Star, Clear Glass, Doors – S82200

Privacy & Textured Glass Option with Triple-Pane Construction

For just the right balance of privacy and natural light, textured glass options provide a smart solution.




Triple-Pane Flush-Glazed Glass

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear


Opaque



Geometric (XG)

1 7 10

Glass Privacy Rating



Satin Etch (XE)

1 10

Glass Privacy Rating



Chord (XC)

1 10

Glass Privacy Rating



Chinchilla (XJ)

1 10


Glass Privacy Rating



Rainglass (XR)

1 8 10

Glass Privacy Rating



Granite (XN)

1 10

Glass Privacy Rating



Simulated Divided Lite (SDL)
Bar Options*

Choose Your Divided Lites

Complete your entry with divided lites.

Tailor the look with different texture, profile and color choices to coordinate with window patterns – from Colonial and Craftsman, to Prairie and Modern.


Grilles Between Glass (GBG)
Bar Options



Fiber-Classic & Smooth-Star
(28.6 mm / 1.125 in.)
Look for the (FC) icon.




Smooth-Star
(28.6 mm / 1.125 in.)
Look for the (SS) icon.



Fiber-Classic & Smooth-Star
(88.9 mm / 3.5 in.)
Look for the (FC) icon.



Flat (20 mm / 0.787 in.) Contour (18 mm / 0.708 in.)



*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

**Available in Special Quote Program.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, riders and ENERGY STAR qualified products.

Key

-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)*
-  Simulated Divided Lites (SDF1)*
-  Simulated Divided Lites (SDF2)*
-  Flat White Grilles Between Glass Only (GBGFW)
-  Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
-  Removable Wood Grilles (RG)
-  Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
-  6'6" Height Available

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination.

XG = Geometric Glass

XE = Satin Etch Glass

XC = Chord Glass

XJ = Chinchilla Glass

XR = Rainglass

XN = Granite Glass

Optional Dentil Shelf*











4-Block Dentil Shelf











Available for all Craftsman-style Smooth-Star doors.

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.




















EnLiten™ Flush-Glazed Privacy & Textured Glass


Fiber-Classic® Oak




							
FC1207__	2010__	2050__	2050_SL	FC02000_-2C	FC082000_-2C	FC02000_-3C	FC082000_-3C
2'6" x 6'8" ▲	2'6" x 6'8" ▲	2'6" x 6'8" ▲	12" x 6'8"	2'6" x 6'8" ▲	2'6" x 8'0"	2'6" x 6'8" ▲	2'6" x 8'0"
2'8" x 6'8" ▲	2'8" x 6'8" ▲	2'8" x 6'8" ▲	14" x 6'8"	2'8" x 6'8" ▲	2'8" x 8'0"	2'8" x 6'8" ▲	2'8" x 8'0"
2'10" x 6'6"	2'10" x 6'6"	2'10" x 6'6"		2'10" x 6'6"	2'10" x 8'0"	2'10" x 6'6"	2'10" x 8'0"
3'0" x 6'8" ▲	3'0" x 6'8" ▲	3'0" x 6'8" ▲		3'0" x 6'8" ▲	3'0" x 8'0"	3'0" x 6'8" ▲	3'0" x 8'0"

									
FC02000_-4C	FC082000_-4C	FC02000_-6C	FC082000_-6C	FC5700__	FC85700__	FC5710__	FC85710__	FC5720__	FC85720__
2'6" x 6'8" ▲	2'6" x 8'0"	2'6" x 6'8" ▲	2'6" x 8'0"	2'6" x 6'8" ▲	2'6" x 8'0"	2'6" x 6'8" ▲	2'6" x 8'0"	2'6" x 6'8" ▲	2'6" x 8'0"
2'8" x 6'8" ▲	2'8" x 8'0"	2'8" x 6'8" ▲	2'8" x 8'0"	2'8" x 6'8" ▲	2'8" x 8'0"	2'8" x 6'8" ▲	2'8" x 8'0"	2'8" x 6'8" ▲	2'8" x 8'0"
2'10" x 6'6"	2'10" x 8'0"	2'10" x 6'6"	2'10" x 8'0"	2'10" x 6'6"	2'10" x 8'0"	2'10" x 6'6"	2'10" x 8'0"	2'10" x 6'6"	2'10" x 8'0"
3'0" x 6'8" ▲	3'0" x 8'0"	3'0" x 6'8" ▲	3'0" x 8'0"	3'0" x 6'8" ▲	3'0" x 8'0"	3'0" x 6'8" ▲	3'0" x 8'0"	3'0" x 6'8" ▲	3'0" x 8'0"

Smooth-Star.


									
FC5700_SL	FC5710_SL	FC5720_SL	2000__	8000__	2000_SL	S1207__	S2010__	S82105__	S82106__
12" x 6'8"	12" x 6'8"	12" x 6'8"	2'0" x 6'8" ▲	2'0" x 8'0"	12" x 6'8"	2'6" x 6'8" ▲	2'6" x 6'8" ▲	2'6" x 8'0"	2'6" x 8'0"
14" x 6'8"	14" x 6'8"	14" x 6'8"	2'6" x 6'8" ▲	2'6" x 8'0"	14" x 6'8"	2'8" x 6'8" ▲	2'8" x 6'8" ▲	2'8" x 8'0"	2'8" x 8'0"
			2'8" x 6'8" ▲	2'8" x 8'0"		2'10" x 6'8" ▲	2'10" x 6'8" ▲	2'10" x 8'0"	2'10" x 8'0"
			2'10" x 6'6"	2'10" x 8'0"		3'0" x 6'8" ▲	3'0" x 6'8" ▲	3'0" x 8'0"	3'0" x 8'0"
			3'0" x 6'8" ▲	3'0" x 8'0"					
									
S82107__	S2010_SL	S84886_SL	S2000_-2C	S82000_-2C	S2000_-3C	S82000_-3C	S2000_-4C	S82000_-4C	
2'6" x 8'0"	10" x 6'8" ▲	12" x 8'0" ▲	2'6" x 6'8" ▲	2'6" x 8'0"	2'6" x 6'8" ▲	2'6" x 8'0"	2'6" x 6'8" ▲	2'6" x 8'0"	
2'8" x 8'0"	12" x 6'8" ▲	14" x 8'0" ▲	2'8" x 6'8" ▲	2'8" x 8'0"	2'8" x 6'8" ▲	2'8" x 8'0"	2'8" x 6'8" ▲	2'8" x 8'0"	
2'10" x 8'0"	14" x 6'8" ▲		2'10" x 6'8" ▲	2'10" x 8'0"	2'10" x 6'8" ▲	2'10" x 8'0"	2'10" x 6'8" ▲	2'10" x 8'0"	
3'0" x 8'0"			3'0" x 6'8" ▲	3'0" x 8'0"	3'0" x 6'8" ▲	3'0" x 8'0"	3'0" x 6'8" ▲	3'0" x 8'0"	







EnLiten™ Flush-Glazed Clear Glass

Fiber-Classic® Oak







EnLiten™ Flush-Glazed Clear Glass *Continued*

Fiber-Classic® Oak *Continued*



Smooth-Star®





Every home. Every entrance.

Colonial



Victorian




European



Craftsman



Front Entry




S2250



FC755 / 2000XJSL



S2105 / S92SL



S4816 / S4812SL


Patio



S2050



2000



2000



S2000-6C

Utility




S2150



2100



2150



S4810

Therma-Tru® EnLiten™ flush-glazed doors provide sleek style with maximum views. Whether Classic or Contemporary, Craftsman or European, our doors make a style statement you'll love coming home to.

Southwest



Coastal



Traditional



Modern



S205 / S2000SL



S2000-3C / S2000SL-2C



S4810 / S2000SL




S5720

Front Entry



S2200



S1204 / S1204SL




S2050



S2000

Patio



S2100



S2250



S2150



S2000XE

Utility



Download our DoorWays™ App and visualize the perfect entry for any home and style.



thermatru.com

1-800-THERMA-TRU (843-7628)

1750 Indian Wood Circle

Maumee, OH 43537



EnLiten™ flush-glazed designs are backed by the industry's most comprehensive lifetime limited warranty, plus warranty riders for peace of mind – all from the entry door brand building professionals choose most.*

EnLiten™ Flush-Glazed Riders

For Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

For Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.

*Brand Use Study, 2017 *Builder* magazine.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, riders and ENERGY STAR qualified products.

Cover: Smooth-Star, Clear Glass with SDLs, Door – S85720.

©2017 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. is an operating company of Fortune Brands Home & Security, Inc. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency. Part #MAFFGB18 MTZT / NOV 2017